

Date: Tuesday, 11/6/2007 1:25:44 PM  
 User: Kim Johnston

## Process Sheet

Customer :	CU-DAR001 Dart Helicopters Services	Drawing Name :	WEARSHOE
Job Number :	35562		
Estimate Number :	12737		
P.O. Number :	N/A	Part Number :	D353513
This Issue :	11/6/2007	S.O. No. :	N/A
Prsht Rev. :	NC	Drawing Number :	D3535 REV B
First Issue :	N/A	Project Number :	N/A
Previous Run :	34316	Drawing Revision :	B
		Material :	N/A
		Due Date :	11/20/2007
Written By :			Qty: 30 Um: Each
Checked & Approved By :			
Comment :	Est Rev: A New Issue 07-02-15 JLM		
	Est Rev: B As per Rev B 07-08-31 JLM Verified By: EC		

## Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	M304S20GA	304/316 .040 Sheet
-----	-----------	--------------------



Comment: Qty.: 0.8930 sf(s)/Unit Total : 26.7908 sf(s)

304/316 .040 Sheet

(M304S20GA)

Batch:

22.325  
 106027 1B 07-11-13

105841 x 5 = 4.465

2.0	WATER JET	FLOW WATER JET
-----	-----------	----------------



Comment: FLOW WATER JET

1-Cut as per Dwg D3535

Dwg Rev:

B

1B 07-11-13

Prog Rev:

B

2-Deburr if necessary

1B 07-11-13

3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0	QC8	SECOND CHECK
-----	-----	--------------



Comment: SECOND CHECK

5.0	BRAKE NC	NC BRAKE
-----	----------	----------



Comment: NC BRAKE

1-Form on Brake as per Dwg D3535 using Jigs DT8261 and DT8326

2-Form joggle as per Dwg D3535 using Jig DT8158 Identify as D3535-13

# Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes ☒ No ☐ DQA: AD Date: 21/12/21  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 11/6/2007 1:25:45 PM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEARSHOE

Job Number: 35562

Part Number: D353513

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC5

INSPECT WORK TO CURRENT STEP



conts

Comment: INSPECT WORK TO CURRENT STEP

calulus (x30)

7.0

POWDER COATING

POWDER COATING



M105642



(30x)

Comment: POWDER COATING

Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3

m.f 07/11/20

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



(30)

Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

pf 07-11-21

9.0

PACKAGING 1

PACKAGING RESOURCE #1



(30x)

Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: \_\_\_\_\_

F-P 16

m.f 07/11/21

10.0

QC21

FINAL INSPECTION/W/O RELEASE



(30)

Comment: FINAL INSPECTION/W/O RELEASE

07/11/21

Job Completion



u 07-11-21

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			





NOTE: Date & initial all entries

**DART**

RELEASED

07.04.24

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.		
CB	PH	PORT HADLOCK, WA		
CHECKED	APPROVED	DRAWING NO.	REV. B	
#	#	D3535	SHEET 1 OF 7	
DATE		TITLE	SCALE	
07.04.17		WEARSHOE	1:10	
A	06.10.25	NEW ISSUE		
B	07.04.17	MOVE TAB OUTBOARD, ADD AMS SPEC		

**D3535-11F FLAT PATTERN****D3535-11 BEND DETAIL****D3535-13F FLAT PATTERN****D3535-13 BEND DETAIL****NOTES**

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION




SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 353562

**DART**


RELEASED

07.04.24

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	REV. B
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	SHEET 2 OF 7
#	#	D3535	
DATE	TITLE	WEARSHOE	SCALE
07.04.17			1:10

**D3535-15F FLAT PATTERN**4.50 TO BEND  
LINE (ON FLAT  
PATTERN)0.32  
(REF)**D3535-15 BEND DETAIL****D3535-21F FLAT PATTERN**

DETAIL B

**D3535-21 BEND DETAIL**

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 3562

**NOTES**



- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDETEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

**DART**

RELEASED

07.04.24

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.
CB	PH	PORT HADLOCK, WA
CHECKED	APPROVED	DRAWING NO.
#	#	D3535
DATE	TITLE	REV. B
07.04.17	WEARSHOE	SHEET 3 OF 7
		SCALE
		1:10



**NOTES**

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 35502

**DART**

RELEASED

07.04.24

DESIGN	C B	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED	<i>[Signature]</i>	APPROVED	<i>[Signature]</i>	PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 4 OF 7
				SCALE 1:10



SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 3362

**NOTES**


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT  $\phi$
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



**DART**

RELEASED


07.04.24



**D3535-35F FLAT PATTERN**



**D3535-35 BEND DETAIL**



**D3535-37F FLAT PATTERN**



**D3535-37 BEND DETAIL**

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
		D3535	SHEET 5 OF 7
DATE	TITLE	SCALE	
07.04.17	WEARSHOE	1:10	

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 35562

**NOTES**


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

**DART**


RELEASED

07.04.24


DESIGN	C.B.	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED		APPROVED		PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 6 OF 7
		SCALE	1:10	




**D3535-39F FLAT PATTERN**



**D3535-39 BEND DETAIL**



**D3535-41F FLAT PATTERN**



**D3535-41 BEND DETAIL**

**NOTES**

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT  $\phi$
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 35562


Copyright © 2006 by DART Aerospace USA, Inc.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART Aerospace USA, Inc.




DESIGN	C.B.	DRAWN BY	A.H.	DART AEROSPACE USA, INC.
CHECKED	<i>[Signature]</i>	APPROVED	<i>[Signature]</i>	PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 7 OF 7
				SCALE 1:1


RELEASED  
07.04.24 *[Signature]*



DETAIL B



DETAIL A



SECTION C-C

DART AEROSPACE LTD		Work Order: 35562
Description: WEAR PLATE		Part Number: D3535-13
Inspection Dwg: D3535-13 Rev: B		Page 1 of 1

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø .188	+ .005 - .061	.189	x			
.300	+/- .010	.302	x			
.300	+/- .010	.302	x			
5.650	+/- .010	5.650				
9.150	+/- .010	9.150				
14.066	+/- .010	14.066				
18.983	+/- .010	18.983				
23.900	+/- .010	23.900				
27.400	+/- .010	27.400				
29.400	+/- .010	29.400				
32.900	+/- .010	23.900				
2.000	+/- .010	2.000	x			
1.885	+/- .010	1.892	x			
5.00	+/- .030	5.00	x			
8.00	+/- .030	8.00	x			
14.00	+/- .030	14.00	x			
20.00	+/- .030	20.00	x			

Measured by: RB	Audited by: [Signature]	Prototype Approval: [Signature]
Date: 07-11-13	Date: 07-11-15	Date: N/A

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	